

**CANADIAN JOURNAL OF PLANT SCIENCE**  
**AUTHOR INDEX, VOLUME 60, 1980**

- Addison, B. M., 795  
 Ahmed, A. M., 713  
 Ahmed, S. U., 285  
 Alex, J. F., 635  
 Ali-Khan, S. T., 297  
 Allen, H. T., 283  
 Anderson, G. W., 1005  
 Anderson, I. C., 1427  
 Antoun, H., 209  
 Asay, K. H., 1171  
 Atkinson, R. G., 747  
 Bailey, T. B., 379  
 Baker, R. J., 325  
 Baliko, W., 149, 453  
 Bandeen, J. D., 1419  
 Barnett, G. M., 1147  
 Bassett, I. J., 1269  
 Bastien, D., 723  
 Bell, W. C., 69  
 Berdahl, J. D., 371  
 Bergeron, E., 695  
 Berkenkamp, B., 1039  
 Best, K. F., 651  
 Betts, M. F., 1115  
 Beversdorf, W. D., 399  
 Bible, B. B., 1295  
 Bishop, B. H., 879, 883  
 Black, L., 751  
 Bockholt, A. J., 473  
 Bolduc, R., 1303  
 Bordeleau, L. M., 209  
 Bouchard, M., 577  
 Bouw, W. J., 167  
 Bowes, G. G., 651  
 Brach, E. J., 69, 411  
 Bradbury, I. K., 1393  
 Briggs, K. G., 1455  
 Brown, G. L., 1383  
 Bullen, M. R., 771  
 Bushuk, W., 737  
 Campbell, C. A., 785, 1063  
 Carter, M. R., 903  
 Cavers, P. B., 953, 1269  
 Ceccarelli, S., 221, 491, 501, 687  
 Cesna, A. J., 1283  
 Charlton, J. L., 795  
 Childers, W. R., 1041  
 Chinn, S. H. E., 1467  
 Chong, C., 895, 1295  
 Choo, T. M., 31, 41  
 Christie, B. R., 479, 485, 533, 547  
 Clarke, J. M., 1035  
 Clark, K. W., 121, 385  
 Clements, S. J., 1203  
 Cole, D. F., 1489  
 Collins, M. J., 605  
 Comeau, J. E., 591, 1147  
 Cook, F. D., 509  
 Crofts, H. J., 1135  
 Crompton, C. W., 1269  
 Crowley, J., 613  
 Crowle, W. L., 1071  
 Currie, P. O., 1411  
 Cutcliffe, J. A., 571, 599  
 Damiani, F., 491, 501  
 Darwent, A. L., 929  
 Daubney, H. A., 743  
 Daun, J. K., 799  
 Dean, J. R., 121, 385  
 Dedio, W., 291  
 Delort-laval, J., 695  
 Denis, J. C., 233  
 Deschenes, J. M., 61  
 Desjardins, R. L., 895  
 Dew, D. A., 1263  
 Dexter, J. E., 25, 49, 427  
 Dickson, W. D., 1041  
 Dirks, V. A., 759  
 Dorrell, D. G., 799  
 Doughty, C. C., 255  
 Downey, R. K., 1031  
 Drew, B. N., 1283  
 Dubuc, J. P., 273  
 Duncan, R. R., 473, 1129  
 Dyck, F. B., 1477  
 Eaton, G. W., 873  
 Eggens, J. L., 665, 1209  
 Elliott, J. M., 679  
 Enerson, P. M., 1123, 1459, 1463  
 Evans, D. W., 859  
 Evans, L. E., 1135  
 Evert, D. R., 303  
 Fahselt, D., 669  
 Fairey, N. A., 539, 1367  
 Falcinelli, M., 491, 501  
 Farnworth, E. R., 727  
 Fedak, G., 277  
 Fejer, S. O., 277  
 Ferrari, F., 1101  
 Flotre, D. M., 13

- Forsyth, F. R., 299  
 Foster, A. C., 763  
 Foster, K. W., 1  
 Francis, T. R., 1045  
 Franko, G. D., 965, 981  
 Freyman, S., 463  
 Frey, K. J., 379  
 Friesen, G. H., 759  
 Fritz, W., 795  
 Fulkerson, R. S., 801, 841  
 Fulton, J. M., 197  
 Funnell, H. S., 149  
 Gaborit, T., 695  
 Gauthier, F. M., 723  
 Gavrechenkov, Y. D., 1087  
 Gillespie, T. J., 213  
 Girardin, P., 1451  
 Glick, H., 69  
 Grant, M. N., 1309  
 Green, N. A., 795  
 Gross, R. S., 621, 1393  
 Grover, R., 185  
 Gubbels, G. H., 721  
 Guibord, M. O'C., 265  
 Gupta, U. C., 113, 571  
 Gutman, J., 755  
 Hall, J. W., 1235  
 Hamill, A. S., 947, 1045  
 Hanna, M. R., 1481  
 Hardin, R. T., 509  
 Harney, P. M., 665  
 Hart, R. H., 1157  
 Harvey, B. L., 241, 371, 733  
 Hatley, O. E., 679  
 Hawthorn, W. R., 621  
 Hayden, B. J., 311  
 Heikal, M. M., 713  
 Hobbs, E. H., 91, 445  
 Hofstra, G., 1023  
 Holl, F. B., 1109  
 Holt, N. W., 767, 1283, 1327  
 Horak, A., 1455  
 Hornby, C. A., 163, 1289  
 Ho, K. M., 79, 279  
 Hsiao, A. I., 643  
 Hsu, F. H., 1059  
 Hume, D. J., 399, 1315  
 Hunter, J. H., 177  
 Hunter, N. R., 795  
 Hunter, R. B., 1123, 1459, 1463  
 Irvine, R. B., 241, 733  
 Ismail, A. A., 891  
 Ivany, J. A., 917, 1049  
 Iverson, M. K., 303  
 Jika, N. I., 233  
 Johnson, D. A., 1171  
 Johnson, P. W., 203  
 Johnston, A., 1473  
 Jones, G. E., 279  
 Ju, H.-Y., 1295  
 Kalnin, C., 131  
 Kaufman, M. L., 283  
 Keller, E. R., 821  
 Kenkel, N. C., 891  
 Kennedy, I. R., 509  
 Kidd, G. E., 213  
 Kilcher, M. R., 1191  
 Klinck, H. R., 31, 41  
 Knowles, R. P., 1163  
 Korven, H. C., 185, 1179  
 Kosmolak, F. G., 25, 427, 1071, 1333  
 Kotecha, A., 813  
 Krakar, P. J., 479, 485  
 Krogman, K. K., 91, 445  
 Kruger, J. E., 433  
 Kunelius, H. T., 113, 519  
 Kuo, C. G., 1059  
 LaBerge, D. E., 1343  
 Lachance, R. A., 209  
 Lacroix, L. J., 69, 433  
 Ladouceur, G., 1077  
 Lamb, R. J., 1439  
 Lamotte, C. E., 1427  
 Larson, R. I., 1333  
 Lawrence, T., 249, 1179, 1477  
 Lawson, N. C., 227  
 Leisle, D., 25, 427  
 Leyshon, A. J., 785, 1063  
 Lidster, P. D., 299, 555, 865  
 Lightfott, H. J., 299  
 Liptay, H. J., 911  
 Liu, H. J., 453  
 Li, T. S.-C., 163, 1289  
 Loiselle, R., 277  
 MacDonald, M. D., 445  
 Mack, A. R., 411  
 MacNeill, J., 1243  
 MacPhail, J. M., 665  
 MacPherson, E. A., 1203  
 Majak, W., 1235  
 Major, D. J., 419, 777  
 Makowski, R. I., 167  
 Marchylo, B. A., 25, 427, 433, 1343  
 Marriage, P. B., 947  
 Matsuo, R. R., 25, 49, 427

- Maun, M. A., 669, 763  
 Maw, M. G., 651  
 McBlain, B. A., 1315  
 McDiarmid, R. E., 1235  
 McGregor, D. I., 97, 1441  
 McKenzie, H., 87, 1309, 1333  
 McKenzie, J. S., 103, 703  
 McKenzie, R. C., 91  
 McLaughlin, N. B., 1477  
 McLaughlin, R. J., 547  
 McLean, A., 131  
 McLean, G. E., 103, 703  
 McNaughton, M. E., 585  
 McRae, K. B., 337  
 McVetty, P. B. E., 1135  
 McWilliams, E. L., 1215  
 Mehuys, G. R., 139  
 Miller, F. R., 473  
 Mills, J. T., 831  
 Miyanishi, K., 953  
 Morrison, I. N., 1115  
 Motto, M., 1101  
 Meuhmer, J. K., 911  
 Muldoon, J. F., 399  
 Muller, K., 865  
 Mullin, W. J., 605, 1295  
 Munro, D. C., 599  
  
 Nass, H. G., 1141  
 Neish, G. A., 727  
 Nelson, S. H., 879, 883, 1015  
  
 Olthof, Th. H. A., 281  
 Ormrod, D. P., 1023  
 O'Bannon, J. H., 859  
 O'Donovan, J. T., 773, 939  
 O'Leary, N. F., 773  
 O'Sullivan, J., 923  
 O'Sullivan, P. A., 307, 939, 1255  
  
 Paquin, R., 139, 525, 1077, 1351  
 Park, H. G., 1059  
 Parsons, D. C., 873  
 Peaden, R. N., 859  
 Pegiati, M. T., 221, 687  
 Pelletier, G. J., 723  
 Pelletier, H., 1351  
 Pelletier, L., 349  
 Pellett, N. E., 303  
 Pepin, H. S., 1203  
 Perenzin, M., 1101  
 Petrie, G. A., 267  
 Phatak, S. C., 167  
 Phillips, M. L., 1023  
 Pinchbeck, B. R., 509  
  
 Pittman, U. J., 87  
 Potter, J. W., 203, 293, 533  
 Prendeville, G. N., 613, 773  
 Prevost, D., 209  
 Pritchard, M. K., 5  
 Proctor, J. T. A., 1023  
 Proudfoot, K. G., 605  
  
 Rahe, J. E., 157  
 Rao, V. R., 411  
 Reinbergs, E., 741  
 Rice, W. A., 847  
 Richard, C., 265  
 Rioux, R., 591  
 Robbins, J. A., 255  
 Ronald, W., 1057  
 Ronald, W. G., 1055  
 Rossnagel, B. G., 241, 733  
 Rowland, G. G., 55  
 Roy, R. C., 679  
 Rutger, J. N., 1  
 Safo-Kantanka, O., 227  
 Schmid, J., 821  
 Seyedin, N., 1427  
 Shaykewich, C. F., 69  
 Sibuga, K. P., 1419  
 Simeoni, F., 687  
 Simmonds, J., 259, 561  
 Simpson, G. M., 13  
 Sinha, R. N., 1087  
 Smith, A. E., 185, 311  
 Smoliak, S., 1473  
 Sosulski, F. W., 1327  
 Spurr, D. T., 1467  
 Stephenson, G. R., 167, 1005  
 Stobbe, E. H., 5  
 Stout, D. G., 13  
 Stringam, G. R., 97, 331  
 St-Pierre, C. A., 31, 41, 61, 79, 233, 273, 723  
 St-Pierre, J. C., 525  
 Sullivan, J. A., 533  
 Sutton, J. C., 149, 453  
 Svejda, F., 1053, 1057  
  
 Takeda, K., 379  
 Tanner, J. W., 679  
 Tan, C. S., 197  
 Thiessen, E. P., 1005  
 Thomas, A. G., 651  
 Tipples, K. H., 357  
 Toomsan, L. R., 387  
 Townsend, L. R., 337  
 Townshend, J. L., 293  
 Trudel, J. S., 577  
 Tsay, J. S., 1059

- Tsujita, M. J., 665  
Tung, M. A., 555, 865  
Turcotte, P., 79  
Turkington, R., 965, 981  
Tu, J. C., 585  
Utkhede, R. S., 157  
Valdebouze, P., 695  
Van Ryswyk, A. L., 1235  
Vanden Born, W. H., 307  
Verma, P. R., 267, 1467  
Vose, J. R., 1109  
Warder, F. G., 1063, 1179  
Warren, F. S., 1377  
Warwick, S. I., 751, 947, 1485  
Watson, A. K., 755, 993  
Weaver, S. E., 1215, 1485  
Webster, D. H., 1383  
Werner, P. A., 621, 1391  
White, R. S., 1411  
Willemot, C., 349  
Willms, W., 131  
Winkleman, G. E., 1179  
Wolfe, R. I., 1431, 1435  
Woodbury, W., 795  
Woods, D. L., 1031  
Yarborough, D. E., 891  
Zidan, M. A., 713

**CANADIAN JOURNAL OF PLANT SCIENCE**  
**SUBJECT INDEX, VOLUME 60, 1980**

- Acaulospora trappei*, influence on alfalfa growth, 859
- Acroptilon repens*, biology, 993
- Agromyza frontella*, effect on spring black stem of alfalfa, 265
- Agropyron dasystachyum*, cv. Elbee, 1473
- Agropyron desertorum*, chemical constituents over time, 131  
 seedling traits and winter hardiness, 1411
- Agropyron intermedium*, seedling traits and winter hardiness, 1411
- Agropyron spicatum*, chemical constituents over time, 131
- Air pollution, in Ontario, 1023
- Alachlor, persistence in soils, 311  
 tolerance in corn seedlings, 1045
- Albugo candida*, bud inoculation and systemic infection, 267
- Alfalfa, cold hardening and dehardening, 1351  
 cold hardiness, 703  
 cold tolerance and soil moisture, 139  
 competition and selection for high yielding clones, 1157  
 factors contributing to winter injury, 103  
 inheritance of resistance to *Meloidogyne hapla*, 533  
 spring black stem, alfalfa blotch leafminer, 265  
 variation in high temperature tolerance, 547  
 vesicular-arbuscular mycorrhiza, 859
- Alfalfa-timothy, effect on molybdenum and lime, 113
- Allium cepa* (See Onion)
- Amaranthus hybridus*, biology, 1485
- Amaranthus powellii*, atrazine resistance, 1485  
 biology, 1215
- Amaranthus retroflexus*, atrazine resistance, 1485  
 biology, 1215
- Amelanchier alnifolia* (See Saskatoons),
- Amylase (alpha) isozymes, variation within the wheat kernel, 433
- Analysis (flow injection), development of a sample injector, 767
- Apples, storage under low O<sub>2</sub> and CO<sub>2</sub>, 299  
 trunk growth and crop load, 1383
- Apple scab, electronic disease severity predictor, 213
- Arachis hypogaea* (See Peanut)
- Arctium lappa*, biology, 621
- Arctium minus*, biology, 621
- Aronia melanocarpa* (See Barrenberry)
- Arrowgrass, seasonal variation in cyanide potential, 1235
- Aspergillus flavus*, mycotoxins in corn, 727
- Asulam, persistence in soils, 311
- Atrazine, cytoplasmic inheritance of resistance in *Chenopodium album*, 751  
 resistance in *Amaranthus retroflexus* and *A. powellii*, 1485
- Avena fatua* (See Oats (wild))
- Avena sativa* (See Oats)
- Baking quality, effect of immaturity in wheat, 357  
 use of Glenlea in blended flours, 737
- Barban, antidote for growth of oats, 1005  
 efficacy and time before immersion, 307
- Barban-benzoylprop ethyl, efficacy and time before immersion, 307
- Barban-difenzoquat, efficacy and time before immersion, 307
- Barban-metribuzin mixtures, wild oat and tartary buckwheat control, 1255
- Barley, airplane vs. ground seeding, 1147  
 border rows of winter wheat, 273  
 breeding, doubled haploids vs. pedigree, 79  
 coleptile length and culm length, 687  
 cultivar identification by hordein electrophoregrams, 1343  
 cultivar yield on fallow vs. stubble land, 371  
 cv. Bedford, 1435  
 cv. Johnston, 1431  
 cv. Massey, 277  
 cv. Mingo, 279  
 cv. OAC Halton (winter), 741  
 doubled haploids, 79  
 effect of nitrogen form on growth, yield and yield components, 1063  
 magnetic seed treatment, effect on crop growth rate and yield, 463  
 natural selection, qualitative traits, 31  
 quantitative traits, 41  
 nitrogen and seed set, 785  
 photoperiod response characteristics, 777  
 rate of leaf development, 1263  
 seed weight and coleoptile dimensions, 221  
 semidwarf vs. normal, root volume extraction and soil moisture, 241  
 soil moisture stress, 733
- Barrenberry, effect of endothall and glyphosate on fruit yield, 891

- Bean anthracnose, benomyl resistant biotypes in the delta race, 585
- Beans, amino acid composition, nitrogen-to-protein factors, 1327
- effect of salinization on physiological activities, 713
- leaf-cell membrane permeability to herbicides, 613
- nitrogen fertilization and nitrogen fixation, 121
- Beets (sugar), respiration rates and internal CO<sub>2</sub> concentration, 311
- Benazolin, resistant biotypes of bean anthracnose, 585
- soil drench for control of *Phomopsis* black rot of cucumbers, 747
- Bensulide, preemergent control of annual bluegrass, 947
- Bentgrass (creeping), thatch control, 1209
- Benzoylprop ethyl, efficacy and time before immersion, 307
- Bird repellent, methiocarb on sorghum, 1129
- Blueberry, effect of endothall and glyphosate on fruit yield, 891
- highbush, effect of surfactants on blossom cold hardiness and yield, 255
- bluegrass (annual), effect of thatch removal on ingress, 1209
- preemergent and postemergent herbicides, 947
- bluegrass (Kentucky), effect of hydrogel on germination, growth and sod establishment, 665
- effect of organic and inorganic nitrogen on summer and fall color, 1015
- Boron, effect of N, P and K on B in leaves of cauliflower, Brussel sprouts and peas, 571
- Brassica campestris* (See Rape (turnip))
- Brassica hirta* (See Mustard (yellow))
- Brassica juncea*, yield component correlations, 285
- Brassica kaber* (See Mustard (wild))
- Brassica napobrassica* (See Rutabaga)
- Brassica napus* (See Rape)
- Brassica oleracea* var. *botrytis* (See Cauliflower)
- Brassica oleracea* var. *gemmifera* (See Brussels sprouts)
- Brassica oleracea* var. *capitata* (See Cabbage)
- Brassica rapa* (See Turnip)
- Breeding, barley, doubled haploids vs. pedigree, 79
- orchardgrass, performance of advanced generations, 479
- orchardgrass, double cross hybrids vs. single cross mixtures, 485
- Bromacil, leaf-cell permeability in beans, 613
- Bromegrass, (smooth), seed yield and stubble removal date, 841
- seedling pubescence as a marker, 1163
- Bromus inermis* (See Bromegrass (smooth))
- Brussels sprouts, effect of N, P and K on boron in leaf tissue, 571
- Buckwheat, effect of boron and calcium on yield and seed weight, 721
- Buckwheat (Tartary), control with metribuzin mixtures, 1255
- Cabbage, effect of molybdenum and lime, 113
- Carrots, growth patterns in baby cultivars, effect of high rainfall, 911
- Carthamus tinctorius* (See Safflower)
- Cauliflower, effect of N, P and K on boron in leaf tissue, 571
- Centaurea* (See *Acroptilon*)
- Cereals, spectral characteristics in relation to maturity, 411
- spectroscopy, 69
- Chenopodium album*, (See Lamb's-quarters)
- Cherries (sweet), fruit surface pitting, maturity and fruit composition, 865
- surface pitting in relation to storage temperature, 555
- chickpea, amino acid composition, nitrogen-to-protein factors, 1327
- Chickweed, biology, 981
- Chlorpropham, leaf-cell permeability in beans, 613
- Chlorthal-dimethyl, preemergent control of annual bluegrass, 947
- Chromosome substitution lines, milling and baking quality in wheat, 1333
- Cicer arietinum* (See Chickpeas)
- Clover (alsike), seasonal pattern of and total nitrogen fixation, 847
- Clover (red), cv. Bytown (tetraploid), 1041
- seasonal pattern of and total nitrogen fixation, 847
- Clover (red)-timothy mixture, effect of molybdenum and lime, 113
- Clover (Spanish), genetics of nitrogen fixation, 509
- Clubroot, resistance and glucosinolate content in rutabaga and turnip, 605
- Cochliobolus sativus*, effect of imazalil on crown depth and tillering in wheat, 1467
- Cold hardening of alfalfa, related to air and soil temperature, 1351
- Cold hardiness, alfalfa, 703
- denaturation of cell membranes in wheat, 1303

- prevention of supercooling in *Forsythia* roots, 303
- seedling traits of forage grasses, 1411
- soil moisture effect in alfalfa, 139
- soybeans, 821
- Colletotrichum lindemuthianum* (See Bean anthracnose)
- Container-grown plants, temperature and overwintering outside, 895
- Corn, bird injury and fungal colonization, 453
- corn heat units, maturity for forage and grain production, 539
- evapotranspiration, 445
- forage mixtures with sunflowers, 1377
- forage yield assessment by grain and stover yields, 539
- genetics of alachlor resistance, 1045
- global radiation and growth rate, 1451
- grain filling period, effect on weight, variance and heritability, 1101
- irrigation, effect on silage and grain yield, 445
- morphological traits, resistance to *Gibberella zeae*, 1463
- mycotoxins, *Fusarium* and *Aspergillus*, 727
- nitrification inhibitor, yield and levels of N in tissue, 337
- nitrogen fertilization, effect on silage and grain yield, 445
- protein content, effect of bird injury, 453
- screening for *Gibberella zeae* resistance, 1123
- simulated frost injury with paraquat, effect on yield, 419
- tassel auxin levels, tolerance to high population densities, 1427
- weed density and yield, 1419
- zearalenone mycotoxin, effect of weather, 149
- Corn heat units, maturity for grain and forage production in corn, 539
- Corn stover and kale silage, yield and digestibility, 807
- Corn (forage), maturity, planting date and harvest date, 1367
- Corn-kale silage, yield and digestibility, 807
- Cowpeas, effect of salinization on physiological activities, 713
- Crop growth rate, effect of magnetic seed treatment in barley, 463
- Crop identification, radar vs. thermal infrared imagery, 1077
- Cucumbers, control of *Phomopsis* black rot with benomyl, 747
- effect of spacing, irrigation and nitrogen on yield and quality, 923
- Cultivar identification, hordein electrophoregrams in barley, 1343
- Cyanide potential, seasonal variation in arrowgrass, 1235
- Cyperus esculentus*, collection of tubers, 755
- Cytoplasmic effects, atrazine resistance in *Chenopodium album*, 751
- magnetotropism in wheat, 87
- temperature stress in tomatoes, 163
- Dactylis glomerata* (see Orchardgrass)
- Dalapon, leaf-cell permeability in beans, 613
- Daucus carota* (See Carrots)
- Denitrification, reduced seed set of wheat, 785
- Desmodium sandwichense* (See Clover (Spanish))
- Diclofop methyl, efficacy and time before immersion, 307
- leaf-cell permeability in wild oats and barley, 773
- Diclofop-metribuzin mixtures, wild oat and Tartary buckwheat control, 1255
- Difenzoquat, efficacy and time before immersion, 307
- Difenzoquat-metribuzin mixtures, wild oat and Tartary buckwheat control, 1255
- Dinitramine, effect on staghead of turnip rape, 1039
- persistence and phytotoxicity, 5
- Dinitroanilines, persistence and phytotoxicity, 5
- Diquat, effect on fababean desiccation on yield and quality, 1115
- Dough mixing strength, mixograph vs. extensigraph, 1071
- Drought resistance, germination of sorghum under osmotic stress, 13
- semi-dwarf and normal barley, yield components and harvest index, 733
- Durum, effect on triacontanol on germination and growth, 795
- quality and gliadin electrophoregrams, 427
- SDS-sedimentation as a measure of gluten strength, 25
- semolina milling properties, test weight, seed weight, protein, 49
- Electrophoresis, cultivar identification in barley, 1343
- Elymus angustus* (See Wild ryegrass (Altai))
- Elymus junceus* (See Wild ryegrass (Russian))
- Endothall, effect on blueberry and barrenberry fruit yield, 891
- postemergent control of annual bluegrass, 947
- EPTC, antidotes for alfalfa establishment, 1049
- Euphorbia esula*, biology, 651
- Evapotranspiration, corn, 445

- Evapotranspiration, potential in corn, potatoes and tomatoes, 197
- Fababeans, amino acid composition, nitrogen-to-protein factors, 1327
- desiccation vs. swathage, effect on yield and quality, 1115
- inheritance of tannin-free trait, 1135
- irrigation, yield, protein and water use, 91
- nitrogen fertilization and N fixation, 121
- pleiotropic effects of tannin-free trait, 1135
- Rhizobium* strain selection, 385
- trypsin inhibitors and hemagglutinins, 687
- Fagopyrum esculentum* (see Buckwheat)
- Fatty acids, effect of yellow embryo mutant in turnip rape, 97
- Flamprop isopropyl, efficacy and time before immersion, 307
- Flamprop methyl, efficacy and time before immersion, 307
- Flamprop-metribuzin mixtures, wild oat and Tartary buckwheat control, 1255
- Flax, agronomic evaluation for fibre in Saskatchewan, 55
- photoperiod response characteristics, 777
- weather damage and seed quality, grading factors, 799
- Flow injection analysis, sample injector developed, 767
- Fluchloralin, persistence and phytotoxicity, 5
- Fluoride, air pollution in Ontario, 1023
- Forages (perennial), effect of seeding year on forage yield, 1191
- Forsythia*, cv. Northern Gold, 1057
- Forsythia X intermedia*, prevention of supercooling in roots, 303
- Foxtail (green), control in wheat and barley by propanil, 177
- density and corn yield, 1419
- rate of leaf development, 1263
- Frost hardening, relation to linolenic acid in wheat, 349
- timothy cultivars, proline and dry matter, 525
- Frost injury, simulated in corn by paraquat, effect on yield and kernel development, 419
- Fusarium graminearum*, mycotoxins in corn, 149, 453, 727
- Fusarium moniliforme*, mycotoxins in corn, 453
- Germination, under osmotic stress in sorghum, 13
- effect of light, gibberellic acid and NaOC1 in stinkweed and wild mustard, 643
- Germination rate, effect of temperature, light and gibberellic acid in *Impatiens wallerana*, 259
- Germination rate, establishment of seedlings of *Impatiens wallerana*, 561
- Gibberella zeae*, horizontal resistance in corn, 1459
- resistance in corn related to pendant ears and loose husks, 1463
- Gibberellic acid, effect on germination rate of *Impatiens wallerana*, 259
- Gliadin electrophoregrams, relation to quality in durum, 427
- Glomus epigaeus*, *G. fasciculatus*, *G. mosseae*, alfalfa growth, 859
- Glucosinolates, clubroot resistance in rutabaga and turnip, 605
- composition and content during growth of rutabaga and turnip, 1295
- Gluten strength, measured by SDS-sedimentation in durum, 25
- Glycine max* (see Soybeans)
- Glyphosate, antagonism with bromoxynil, MCPA, 2,4-D and dicamba, 939
- effect on blueberry and barrenberry fruit yield, 891
- leaf-cell permeability in beans, 613
- Goitrin, rutabaga and turnip, 605
- Grain filling period, corn, hybrid differences in corn heat units, 1367
- yield of soybeans, 1315
- Grain legumes, amino acid composition, nitrogen-to-protein factors, 1327
- Grapes, nutrient content of petioles, 873
- Grasses, chemical constituents over time, 131
- Growth rate and harvest index, yield of oats, 379
- Hail, damage and recovery in rape, 1441
- Haploids (doubled), in barley, 79
- Harvest index, population density, selection for yield in  $F_2$  in wheat, 1141
- yield in oats, 379
- Helianthus annuus* (See sunflowers)
- Hemagglutinins, fababeans, peas, lupines, soybeans, *Vigna sinensis*, 687
- Herbicides, barban antidotes in oats, 1005
- EPTC in alfalfa, 1049
- persistence in Saskatchewan soils, 311
- Hordeum vulgare* (See Barley)
- Hybrids, orchardgrass, double cross and single cross mixtures, 485
- single cross and advanced generations, 479
- Hydrogel, germination, growth and establishment of Kentucky bluegrass, 665
- Imazalil, effect on subcrown internode length and tillering in wheat, 1467



- Impatiens wallerana*, germination rate, temperature, light, GA, 259  
seedling establishment, low temperature and polyethylene glycol, 561
- Infrared photography, crop identification, 1077
- Infrared reflectance spectra, discrimination of cereals, 69  
related to maturity changes in cereals, 411
- Kale-corn silage, yield and digestibility, 807
- Koeleria cristata*, chemical over time, 131
- Lactuca sativa* var. *capitata* (See Lettuce (head))
- Lamb's-quarters, density and corn yield, 1419  
cytoplasmic inheritance of atrazine resistance, 751
- Larch (Siberian), sulfate and chloride salinity, growth and needle composition, 903
- Lathyrus*, amino acid composition, nitrogen-to-protein factors, 1327
- Leaf area, reciprocal cross analysis in tomatoes, 1289
- Lentils, amino acid composition, nitrogen-to-protein factors, 1327  
triellate tolerance and residues, 1283
- Lettuce (head), photosynthetic and respiration rates, 577
- Lime, effect on molybdenum availability, 113
- Linolenic acid, relationship to frost hardening in wheat, 349
- Linum usitatissimum* (See Flax)
- Linuron, leaf-cell permeability in beans, 613  
postemergent control of annual bluegrass, 947
- Lolium multiflorum* (See Ryegrass (annual))
- Lolium perenne* (See Ryegrass (perennial))
- Lotus corniculatus* (See Trefoil (bird's-foot))
- Lupine, amino acid composition, nitrogen-to-protein factors, 1327
- Lycopersicum esculentum* (See Tomatoes)
- Magnetic seed treatment, effect on growth and yield of barley, 463
- Magnetotropism, wheat, 87
- Maize (See Corn)
- Malus sylvestris* (See Apples)
- Marsh, vegetational analysis along Lake Huron, 669
- Medicago* (See Alfalfa)
- Meloidogyne* (See Nematodes)
- Methiocarb, bird repellent on grain sorghum, 1129
- Metribuzin, synergistic phytotoxicity in tomatoes, 167  
mixtures for wild oat and Tartary buckwheat control, 1255  
tolerance of tomato transplants, 759
- Metribuzin-MCPA mixtures, wild oat and Tartary buckwheat control, 1255
- Milling and baking quality, effect of immaturity of wheat, 357  
reciprocal chromosome substitutions, 1333
- Molybdenum, cabbage and grass-legume mixtures, 113
- Mungbean, amino acid composition, nitrogen-to-protein factors, 1327  
seed yield, specific leaf weight and RuDP-Case, 1059
- Mustard, yield component correlations, 285
- Mustard (wild), effect of GA, light and NaOCl on seed dormancy and germination, 643
- Mustard (yellow), pod hairiness and flea beetle damage, 1439  
variation in seed mucilage, 1031
- Mycotoxins, *Fusarium* and *Aspergillus* in corn, 727  
zearalenone in corn, effect of bird damage, 453  
effect of weather, 149
- Naphthalic anhydride, barban antidote for oats, 1005
- Natural selection, barley, 31  
wheat cultivar mixtures, 1309
- Nematodes, inheritance of resistance in alfalfa, 533  
population behaviour in forage legumes, 293  
winter survival, 203
- Net assimilation rates, reciprocal cross analysis in tomatoes, 1289
- Net photosynthesis rates, reciprocal cross analysis in tomatoes, 1289
- Niclofen, persistence in soils, 131  
weed control in rutabagas, 917
- Nitrapyrin, effect on yield and tissue nitrogen levels in corn, 337
- Nitrification inhibitor, effect of nitrapyrin on yield of corn, 337
- Nitrogen, effect on agronomic and quality traits of wheat, 1071  
effect of N form on growth and yield of wheat and barley, 1063  
fertilization and nitrogen fixation in grain legumes, 121  
fixation in alsike and red clover, 847  
genetics of fixation in Spanish clover, 509  
relation of N fixation to nitrate reductase in *Rhizobium meliloti*, 209
- Nursery plants in containers, overwintering in heated environments, 895

- Oats, airplane vs. ground seeding, 1147  
 barban antidote, 1005  
 cultivar yield on stubble vs. fallow land, 371  
 cv. Cascade, 283  
 effect of seeding rate and soil temperature on weed competition and yield, 61  
 growth rate and harvest index, 379  
 photoperiod response characteristics, 777  
 rate of leaf development, 1263
- Oats (wild), control with metribuzin mixtures, 1255  
 herbicide efficacy after immersion, 307  
 rate of leaf development, 1263  
 soil temperature effects on trifluralin phytotoxicity, 929
- Onion, smut resistance, 157
- Onobrychis viciaefolia* (See Sainfoin)
- Orchardgrass, advanced generation hybrids vs. single crosses, 479  
 double cross hybrids, vs. single cross mixtures, 485  
 seed yield and stubble removal date, 841
- Ozone, air pollution in Ontario, 1023
- Panicum dichotomiflorum* var. *geniculatum*, germination and emergence of buried seed, 635
- Paraquat, leaf-cell permeability in beans, 613  
 simulated frost injury in corn and effect on yield, 419
- Peanuts, agronomic practices in Ontario, 679
- Peas, amino acid composition, nitrogen-to-protein factors, 1327  
 cv. Lenca, 297  
 effect of nitrogen fertilization and N fixation on carbohydrate, protein and oligosaccharide accumulation, 1109  
 effect of N, P, K and lime on boron in leaves, 571  
 effect of N, P, K and lime on yield and maturity, 599  
 nitrogen fertilization and N fixation, 121  
 trypsin inhibitors and hemagglutinins, 687
- Phaseolus vulgaris* (See Beans)
- Phaseolus lunatus*, amino acid composition, nitrogen-to-protein factors, 1327
- Phleum pratense* (See Timothy)
- Phoma medicaginis*, blotch leafminer, 265
- Phomopsis cucurbitae*, control with soil drenches of benomyl, 747
- Photography, isolation of layers in plant canopies, 771
- Photoperiod (minimum, maximum, sensitivity) in crop plants, 777
- Photosynthesis rates, expressed per unit area or per plant, 577
- Phyllotreta cruciferae*, effect of pod hairiness in *Brassica hirta*, 1439
- Picloram, leaf-cell permeability in beans, 613
- Pisum sativum* (See Peas)
- Plantago lanceolata*, biology, 1269
- Plasmodiophora* (See Clubroot)
- Poa annua* (See Bluegrass (annual))
- Poa pratensis* (See Bluegrass (Kentucky))
- Poa sandbergii*, chemical constituents over time, 131
- Poplar, cv. Tower, 1055
- Portulaca oleracea*, biology, 953
- Potatoes, effect of ridged or flat seedbed on time of hilling and yield, 591
- Pratylenchus penetrans*, resistance in rye, 281
- Profluralin, persistence and phytotoxicity, 5  
 persistence in soils, 331
- Prometryne, leaf-cell permeability in beans, 613
- Propanil, foxtail control and residues in wheat and barley, 177
- Prunus sativum* (See Cherries (sweet))
- Pulse crops, amino acid composition, nitrogen-to-protein factors, 1327
- Quality, loss in storage of high moisture rape, 831  
 weather damage in flax, 799
- Rape, hail damage and recovery, 1441  
 quality losses in storage at high moisture, 831
- Rape (turnip), hail damage and recovery, 1441  
 bud inoculation and seed infestation with *Albugo*, 267  
 inheritance of seed color, 331  
 photoperiod response characteristics, 777  
 staghead, fungicide and herbicide effects, 1039  
 yellow embryo mutant, inheritance and fatty acid composition, 97  
 yield component correlations, 285
- Raspberry, effect of triadimefon on plant growth, 1203
- Reciprocal crosses, physiological traits in tomatoes, 1289
- Remote sensing of crops, color infrared photography, 1077
- Respiration rates, expressed per unit area or per plant, 577
- Rhizobium*, granular inoculum, seed- and soil-applied in soybeans, 399  
 strain selection for fababeans, 385
- Rhizobium meliloti*, nitrate reductase in relation to N fixation, 209

- Rose, cv. John Franklin, 1053
- Rutabaga, glucosinolate and goitrin content, clubroot resistance, 605  
seasonal variation in glucosinolate composition, 1295  
weed competition and control, 917
- Rye, photoperiod response characteristics, 777  
resistance to root-lesion nematode, 281
- Ryegrass (annual), effect of nitrogen rates and harvest schedules on yield and quality, 519
- Ryegrass (perennial), selection for dry matter yield, correlated response, 501  
direct response, 491
- Ryegrass (Westerwolds) (See Ryegrass (annual))
- Safflower, character associations, genetics and heritability, 813
- Sainfoin, cv. Nova, 1481
- Salinity, effect on growth and needle composition of Siberian larch, 903
- Salt spray injury, *Thuja occidentalis*, effect of relative humidity, 763
- Salt tolerance, physiological activities of beans and cowpeas, 713
- Saskatoon, rooting and transplanting of softwood and hardwood cuttings, 883  
rootstocks, *Crataegus*, *Malus*, *Sorbus*, *Cotoneaster*, 879
- Secale cereale* (See Rye)
- Sedimentation (SDS), measure of gluten strength in durum, 25
- Seed cleaner, specifications for forage, 1477
- Seed dormancy, in wild mustard and stinkweed, effect of gibberellic acid, light and NaOCl, 643
- Seedling establishment, *Impatiens wallerana*, effect of low temperature and polyethylene glycol, 561
- Seedling vigor, dry weight and mortality in wheat, 1455  
genetic variance in Russian wild ryegrass, 1171
- Selection, for yield in perennial ryegrass, 491
- Semolina milling properties, test weight, seed weight, protein, 49
- Senescence in sorghum, inheritance of, 473
- Setaria viridis* (See Foxtail (green))
- Significance (tests of), misuse of multiple comparison tests, 325
- Silage, yield and digestibility of corn-kale mixtures, 807
- Silene noctiflora*, biology, 1243
- Sinapis alba* (See Mustard (yellow))
- Sinapis arvensis* (See Mustard (wild))
- Sodium azide, leaf-cell permeability in beans, 613
- Soil moisture, effect on cold tolerance in alfalfa, 139
- Solanum tuberosum* (See Potatoes)
- Solidago canadensis*, biology, 1393
- Sorghum, drought resistance, germination under osmotic stress, 13  
drought tolerance among cultivars, stability, 233  
methiocarb bird repellent, 1129  
photoperiod response characteristics, 77  
senescent and non-senescent, inheritance of, 473  
tiller growth, inheritance of, 473
- Soybeans, amino acid composition, nitrogen-to-protein factors, 1327  
cold tolerance, 821  
nitrogen fertilization and N fixation, 121  
photoperiod response characteristics, 777  
physiology of high yield in early cultivars, 1315  
quality under aerobic and anaerobic storage, 1087  
row spacings and plant arrangement, 227  
seed- and soil-applied *Rhizobium*, 399  
storage conditions, fungi and insects, 1087  
trypsin inhibitors and hemagglutinins, 687  
yield and length of bean filling period, 1315
- Spectroscopy, discrimination in cereals, 69  
effects of changes in maturity in cereals, 411
- Staghead, fungicide and herbicide effects, 1039
- Statistical analysis, misuse of multiple comparison tests, 325
- Stellaria media* (See Chickweed)
- Stinkweed, factors affecting seed dormancy and germination, 643
- Stipa comata*, chemical constituents over time, 131
- Strawberry, cv. Tyee, 743
- Sulfur dioxide, air pollution in Ontario, 1023
- Sunflowers, cv. CMH 101 hybrid, 291  
forage mixtures with corn, 1377
- Supercooling, prevention of, in roots, 303
- Temperature stress, high temperature tolerance in alfalfa, 547  
reciprocal cross differences in tomatoes, 163
- Thatch control, creeping bentgrass turf, 1209
- Thiophanate methyl, control of *Phomopsis* black rot of cucumbers, 747
- Thlaspi arvense* (See Stinkweed)
- Thuja occidentalis*, foliar absorption of NaCl at two relative humidities, 763

- Timothy, frost resistance, effect of cultivar, proline and dry matter, 525  
seed yield and stubble removal date, 841
- Tomatoes, reciprocal cross differences in leaf area, net assimilation and net photosynthesis, 1289  
reciprocal cross differences in temperature stress, 163  
synergistic phytotoxicity of metribuzin, 167  
tolerance to metribuzin after transplanting, 759
- Trefoil (bird's-foot), biology, 956
- Triacantanol, effect on germination and growth in durum, 795
- Triadimefon, effect on raspberry plant growth, 1203
- Triallate, effect on staghead of turnip rape, 1039  
residue studies and tolerance in lentils, 1283
- Trifluralin, effect on staghead of turnip rape, 1039  
persistence and phytotoxicity, 5  
soil temperature and wild oat kill, 929  
weed control in rutabaga, 917
- Trifolium hybridum* (See Clover (alsike))
- Trifolium pratense* (See Clover (red))
- Triglochin maritima* (See Arrowgrass)
- Triticum aestivum* (See Wheat)
- Triticum durum* (See Durum)
- Trypsin inhibitors, fababeans, peas, lupines, soybeans, *Vigna sinensis*, *V. catjang*, 687
- Turnip, glucosinolate content, goitrin content and clubroot, 605  
seasonal variation in glucosinolate composition, 1295
- 2,4-D, leaf-cell permeability in wild oats and barley, 773  
leaf-cell permeability in beans, 613
- Urocystis magica*, resistance in onion, 157
- Vaccinium* (See Blueberry)
- Vegetational analysis, Lake Huron marshes, 669
- Venturia inequalis*, electronic disease severity predictor, 213
- Vicia faba* (See Fababean)
- Vigna catjang*, trypsin inhibitors and hemagglutinins, 687
- Vigna radiata* (See Mungbean)
- Vigna sinensis*, trypsin inhibitors and hemagglutinins, 687
- Vigna unguiculata* (See Cowpeas)
- Water uptake, wheat seeds on agar medium, 1035
- Weather damage, effect on quality of flax, 799
- Weed biology, *Acroptilon repens*, 993  
*Amaranthus hybridus*, *A. powelli*, *A. retroflexus*, 1215  
*Arctium lappa*, *A. minus*, 621  
*Centaurea repens*, 993  
*Euphorbia esula*, 651  
*Lotus corniculatus*, 965  
*Plantago lanceolata*, 1269  
*Portulaca oleracea*, 953  
*Silene noctiflora*, 1243  
*Solidago canadensis*, 1393  
*Stellaria media*, 981
- Weed control, irrigation ditchbanks, chemicals vs. grasses, 185
- Weeds, competitive ability in corn, 1419
- Wheat, airplane vs. ground seeding, 1147  
alpha-amylase isozymes during kernel development, 433  
baking potential of Glenlea, 737  
cold hardiness, denaturation of cell membranes, 1303  
cultivar survival in mixtures, relation to agronomic traits, 1309  
cv. Laval-19, 723  
harvest index and selection for yield in  $F_2$ , 1141  
imazalil treatment, effect on crown depth and tillering, 1467  
immaturity and milling and baking quality, 357  
linolenic acid and frost hardening, 349  
magnetotropism, 87  
milling and baking quality, reciprocal chromosome substitution, 1333  
nitrogen and seed set, 785  
nitrogen fertilization, agronomic and quality traits, 1071  
nitrogen form, growth, yield and yield components, 1063  
photoperiod response characteristics, 777  
rate of leaf development, 1263  
seedling vigor, germination and ATP content, 1455  
water uptake from agar media, 1035
- Wheat (winter), border rows for barley plots, 273
- Wild rice, variation in heading date, height, tillers, seed size, 1
- Wild ryegrass (Altai), forage yield, effect of row spacing, 249  
nitrogen and irrigation, forage and seed yield, 1179
- Wild ryegrass (Russian), screening for improved stand, 1171  
seedling traits and winter hardiness, 1411
- Winter injury, alfalfa, 103
- Zea mays* (See Corn)
- Zearalenone, mycotoxin in corn, effect of bird damage, 453  
effect of weather, 149
- Zizania aquatica* (See Wild rice)

